PECEIVED

ORIGINAL NOV - 5 1992

BEFORE THE
FEDERAL COMMUNICATIONS COMMISSION
WASHINGTON, D.C.

FEDERAL COMMUNICATIONS COMMISSION
OFFICE OF THE SECRETARY

In re Applications

MM Docket No. 92-27

SOUTHWEST ALLEN COUNTY SCHOOLS Lafayette Township, Indiana Reg: 91.1 MHZ, Channel 216A File No. BPED-900215MC

0.4 kW (H&V), 65 meters

FAITH CHRISTIAN ACADEMY Berne, Indiana Req: 91.1 MHz, Channel 216B1 25 KW (H&V), 100 meters

File No. BPED-901203MN

For Construction Permit For a New, Noncommercial, Educational FM Station

To: Honorable Joseph Chachkin Administrative Law Judge

PETITION FOR LEAVE TO AMEND AND AMENDMENT

Faith Christian Academy, by its attorneys, and pursuant to § 73.3522(b) of the Commission's rules files a post-designation amendment to change its frequency to Channel 217. Good cause exists for the grant of this petition. Faith Christian Academy and Southwest Allen County Schools respectively filed mutually exclusive non-commercial applications for FM radio stations on channels 216(B1) Berne, Indiana, and 216(A), Lafayette Township, Indiana. In recognition of the fact that the conflict between these two proposals would require lengthy and expensive hearings to determine which proposal should be granted, the parties entered into an Agreement to settle the case. A Joint Petition for Approval of Agreement was filed with the Commission on September 22, 1992 advising that additional time would be

ListABCDE

required to prepare an engineering amendment to the Faith application to remove the conflict between the two applications. In order to remove the conflict, Faith has prepared an amendment to change its frequency to Channel 217. Faith remains at its originally specified site and has reduced power to preclude interference with other stations including the application of Southwest Allen County Schools, which in turn is also filing an amendment reducing its power to preclude any interference.

The acceptance of Faith's amendment is a condition of the Agreement. Acceptance of the amendment will permit two non-profit institutions to provide different programming formats and will conserve the Commission's resources as well as those of the parties. This amendment will not require enlargement of issues or the addition of new parties. This amendment was not foreseeable because Faith had no idea when it filed its original application that it would not be able to work out a shared-use agreement or reach some other type of accord with the competing applicant other than the instant agreement requiring a change in frequency.

While § 73.373(a)(1) of the Commission's rules specifies that a change in frequency is a major amendment requiring the assignment of a new file number, that rule has been interpreted to apply to pre-designation and not post-designation amendments, such as the instant amendment. See Exhibit A, Memorandum Opinion and Order, FCC 89M-2039, released August 7, 1989.

Wherefore, Faith Christian Academy respectfully requests that its petition be granted and that its application be amended to specify a new frequency on channel 217.

Respectfully submitted,

FAITH CHRISTIAN ACADEMY

: Outen

VERNER, LIIPFERT, BERNHARD,
McPHERSON & HAND, CHARTERED
901 15th Street, N.W., Ste. 700
Washington, D.C. 20005-2301

(202) 371-6080

November 5, 1992

Its Attorneys

BEFORE THE FEDERAL COMMUNICATIONS COMMISSION Washington, D.C. 20554

MM Docket No. 89-309

File No. BPED-860725MH

File No. BPED-870402KA

File No. BPED-870514MN

FCC 89M-2039

Sellersville, Pennsylvania

TRUSTEES OF THE UNIVERSITY OF PENNSYLVANIA
Philadelphia, Pennsylvania

For a Construction Permit for a

Non-Commercial Educational FM station

BUX-MONT EDUCATIONAL RADIO ASSOCIATION

In re Applications of

STATE OF PENNSYLVANIA

Villanova, Pennsylvania

Radnor Township, Pennsylvania

VILLANOVA UNIVERSITY IN THE

CABRINI COLLEGE

File No. BPED-8705150E

Issued: August 3. 1989: Released: August 7. 1989

- 1. Under consideration are the following: Petition for Leave to Amend, filed July 10, 1989, by Cabrini College ("Cabrini"); Petition for Leave to Amend, filed July 10, 1989, by Villanova University in the State of Pennsylvania ("Villanova"); Petition for Leave to Amend, filed July 10, 1989, by Bux-Mont Educational Radio Association ("Bux-Mont"); Joint Motion for Approval of Agreement, filed July 10, 1989, by Cabrini, Villanova, Bux-Mont and the Trustees of the University of Pennsylvania ("Penn"); Petition for Leave to Amend, filed July 24, 1989, by Villanova; Petition for Leave to Amend, filed July 25, 1989, by Bux-Mont; Petition for Leave to Amendment to Application, filed July 25, 1989, by Penn; and Comments on Joint Motion for Approval of Agreement, filed July 28, 1989, by Mass Media Bureau.
- 2. The joint agreement proposes that the applications of Cabrini, Villanova and Bux-Mont each be granted, subject to the acceptance of an amendment to each applicant's engineering proposal. An engineering amendment to each of these applications was filed simultaneously with the filing of the joint agreement. In addition, the joint agreement contemplates a grant of Penn's pending application with the result that the coverage area of Penn's existing station, WXPN, will expand.
- 3. The engineering amendments of Cabrini, Villanova and Bux-Mont propose a change in frequency. Cabrini and Villanova propose identical technical facilities. Cabrini and Villanova, which propose a shared-time operation, seek to amend their applications to propose operation on Channel 206A,

rather than Channel 203A. Bux-Mont seeks to amend its application to propose operation on Channel 205A, rather than Channel 204A. The applicants contend that a grant of these amendments will provide an aggregate of 2,259,284 people residing in an area of 5,188 square kilometers with the opportunity to receive new non-commercial FM service.

- 4. The engineering amendments will result in some contour overlap among the applicants. The applicants, therefore, request a waiver of Section 73.509 of the Commission's Rules which prohibits such overlap. The applicants note that the interference will not result in the loss of any present service to any listener. The applicants also note that the Penn proposal involves a relocation of WYPN's transmitter and a sharing with Station WPVI(TV), Philadelphia, of a diplexed antenna. This co-location and diplexing, they contend, will eliminate the interference between WXPN and WPVI(TV), thereby providing additional service to the public.
- 5. The Mass Media Bureau supports acceptance of the applicants' amendments and approval of the joint agreement and has offered the following comments. Here, the benefit of authorizing new and improved service outweighs the limited interference which will result. Significantly, none of the proposals will result in interference to a non-party to this proceeding, and each of the parties to this proceeding has agreed to accept interference as a condition of receiving a grant. Horeover, as noted by the applicants, no one currently receiving service will lose service as a result of acceptance of the applicants' amendments.
- 6. Additionally, it is noted that the parties have complied with Section 73.3525 of the Commission's Rules. The documents submitted include declarations from each of the parties asserting that their respective applications were not filed for the purpose of reaching or carrying out the joint settlement agreement. Approval of the agreement is in the public interest because it will eliminate the need for a hearing thereby conserving the resources of the non-commercial applicants and the Commission and further will expedite additional service to the public in the Philadelphia area.
- 7. In light of the foregoing, the engineering amendments will be accepted and a waiver of Section 73.509 will be granted. The joint agreement will be approved.
- 8. On July 24, 1989 and July 25, 1989, Villanova, Bux-Mont and Penn filed petitions for leave to amend their applications to provide information called for by the <u>Hearing Designation Order</u> ("HDO"). The Mass Media Bureau has reviewed these amendments and agrees with the applicants that they have met the HDO's requirements.

Accordingly, IT IS ORDERED that the Petitions for Leave to Amend, filed July 10, 1989, by Cabrini, Villanova and Bux-Mont ARE GRANTED, and the amendments ARE ACCEPTED.

IT IS FURTHER ORDERED that a waiver of Section 73.509 of the Commissions Rules IS GRANTED.

IT IS FURTHER ORDERED that the Petition for Leave to Amend, filed July 24, 1989, by Villanova, the Petition for Leave to Amend, filed July 25, 1989, by Bux-Mont and the Petition for Leave to Amend and Amendment to Application, filed July 25, 1989, by Penn ARE GRANTED, and the amendments ARE ACCEPTED.

IT IS FURTHER ORDERED that the Joint Motion for Approval of Agreement, filed July 10, 1989, by Cabrini, Villanova, Bux-Mont and Penn IS GRANTED and the joint agreement IS APPROVED, the application of the Trustees of the University of Pennsylvania IS GRANTED, the applications of Cabrini College, Villanova University in the State of Pennsylvania and Bux-Mont Educational Radio Association, as amended, ARE GRANTED and this proceeding IS TERMINATED.

FEDERAL COMMUNICATIONS COMMISSION

//John M. Fryslak Administrative Law Judge

FCC 340

Approved by OMB
3060-0034
Expires 11/30/94
See Page 23 for information regarding public burden estimate

APPLICATION FOR CONSTRUCTION PERMIT FOR NONCOMMERCIAL EDUCATIONAL BROADCAST STATION

(Carefully read instructions before filing form)

Return only form to FCC

			For Commission Use	Only	
ection I - GENERAL INFO	WATHON IN CO.	n	File No.		
1. Name of Applicant Faith Christian Acad	NOV - 5 1992		Send notices and communications at the address below:	to the follow	ring person
Federa	L COMMUNICATIONS CO PFICE OF THE SECRETA	MMISSION IRY	Rev. Doug Rogers		
Street Address or P.O. Box			Street Address or P.O. Box		
P.O. Box 347 City	State Z	IP Code	P.O. Box 347	State	ZIP Code
Berne	IN 467	711	Berne	IN	46711
(219) 589-3797			Telephone No. linclude Area Code (219) 589-3797	• /	
This application is for:	MA AM		X FM	TV	
(a) Channel No. or Frequency	7 [(b) Princip	City		State
217		Comm			IN
File No. of construction pe	rmit:				
MINOR modification of co	instruction permit;	call sign:			
File No. of construction pe	rmit:				
X AMENDMENT to pending ap	plication; application	on file nu	mber:	BPED-90	1203MN
NOTE: It is not necessary to use submit only Section I and those o		•	viously filed application. Should y hat contain the amended information	ou do so, how	ever, please
is this application mutually exclusive	with a renewal a	app <i>l</i> ication	?		Yes 🗶
	Call letters		Community of License]
If Yes, state:		City		State	

· •					FOR COMMISSI	ON USE ONLY	
	V-B - FM BRO	ADCAST ENG	INFERING DA		File No.		
306110N	V-D - FM DNO	ADURS: ENG	INCENTING DA	'^	ASB Referral D	ate	
<u> </u>	<u> </u>				Referred by		
Name of Appli							
Faith C	hristian Ac	ademy					
Call letters (ii	f issued)		Is this applica	tion being fi	iled in response	to a window?	Yes X No
(NEW)			If Yes, specif	y closing da	te:		
Purpose of Ap	pplication: leheck	appropriate boxi	(05))				
X Const	ruct a new (main) i	f a cility		Cons	truct a new aux	ciliary facility	
Modif	y existing construc	tion permit for	main facility	Modi	fy existing cons	struction permit fo	or auxiliary facility
Modif	y licensed main fac	ility		Modi	fy licensed auxi	liary facility	
If purpose is 1	to modify, indicate	below the natu	re of change(s) a	and specify t	he file number(s	s) of the authoriza	itions affected.
Anten	na supporting-struc	ture height		Effec	ctive radiated po	ower	
Anten	na height above ave	erage terrain		Frequ	uency		
Anten	na location			Class			
Main :	Studio location			Other	. (Summariza bri	i o fly?	
		•					
File Number	r(s) BPED-901	203MN					
1 Alicentian		·					
1. Allocation:						Olean A. I.	,
Channel No.		Principal cor	nmunity to be se	rved:		Class teneck of	nly ene bex belee!
	City		County		State		B1 B C
217	Berne		Adams		IN	C2	C1
2. Exact location	on of antenna.						
(a) Specify a	ddress, city, county						t town or landmark.
Existin	g tower; 21	.08 kM at	298 degre	es True	from Ber	ne, IN; We	lls County
(h) Coorranh	iont constitutes (to		d) 16		414		
	ical coordinates (to 9, specify tower lo						s of center of array. North Latitude or
	ngitude will be pre			. 2201 2411911			
	•	1			•	,	
Latitude	40	44	50	Longitude	85	10	21
				_ برحد بسیار			
3. Is the suppo application(s)	rting structure the ?	same as that o	of another station(s) or propos	sed in another p	ending	X Yes No
If Yes, give	call letter(s) or file	number(s) or	both.	WNUY	BPH-88120	5ID	
If proposal	involves a change i	n height of an	Axisting structure	snacifu Av	risting height sh	ove ground level	including antenna
	purtenances, and lig	-	TAILING SHOOTS	· openiy da	יטם חוצופה ציינושה	2.0 ground 19181	niewenig wineriile,
	. •					·	

atitude	0	, ,	Longitude	0		,	
	office where r	oposed construction? notice was filed and a	ttach as an Exhibit :	a copy of FAA		X Yes	
Date11/07/5	90	Office where filed	AGL Des Pla	ines, IL	·		1-1
	within 8 km of	antenna site. Specify (distance and bearing	from structure	e to neare	st point of th	e neares
runway.	ng Area		Distance (km)		Bearin	g (degrees Tru	16)
(a) Miller	•		6.5	·		238	·····
(b)							
(a) Elevation: (to the	nearest meteri						
(1) of site above	mean sea level;					246	meters
	f supporting stru , and lighting, if	cture above ground (in any); and	ncluding antenna, all	other		128	meters
(3) of the top o	f supporting stru	cture above mean sea	level [(a)(1) + (a)	(2)]	_	374	meters
(b) Height of radiatio	n center: /te t/	he nearest meter) H =	= Horizontal; V = V	ertical			
(1) above ground						105	meters
						105	meters
(2) above mean s	sea level [(a)	(1) + (bX1)]			-	351	meters
						351	meters
(3) above average	terrain					100	meters
					_	100	meters
in Question 7 above,	except item 70	supporting structure, bX3). If mounted on all array towers, as well	n AM directional-ar	ray element,		Exhibit E	No. -1
Effective Radiated Po (a) ERP in the horizon				6.3	(1.136)	6.3	/\/×
AND PULL BITHS HOUSE	uai hala			K	w (r1*)		
(h) is hazm tilt neans	sed?					! V	
(b) is beam tilt propo		he plane of the tilted		.		Exhibit	X (

· 如何是一次是是不是一个人的一种,不是是一个人的,也是是一个人的,也是是一个人的,也是一个人的,也是一个人的,也是一个人的,也是一个人的,也是一个人的,也是一个人的,

1、本体的有效保护的成功工作的原理性理解的研究情况的可能性的特殊性理解的原理的现在分词的现在分词 计分析

SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 3)

ls a directional antenna proposed?	Y Yes No
is a directional sureixis brobosed:	» ب
If Yes, attach as an Exhibit a statement with all data specified in 47 C.F.R. Section 73.316, including plot(s) and tabulations of horizontally and vertically polarized radiated components in terms of relative field.	Exhibit No. E-2
Will the main studio be located within the 70 dBu or 3.16 mV/m contour?	X Yes No
If No, attach as an Exhibit justification pursuant to 47 CF.R. Section 73.1125.	Exhibit No. N/A
Are there: (a) within 60 meters of the proposed antenna, any proposed or authorized FM or TV transmitters, or any nonbroadcast <i>lexcept citizens band or emateurl</i> radio stations; or (b) within the blanketing contour, any established commercial or government receiving stations, cable head-end facilities, or populated areas; or (c) within ten (10) kilometers of the proposed antenna, any proposed or authorized FM or TV transmitters which may produce receiver-induced intermodulation interference?	X Yes No
If Yes, attach as an Exhibit a description of any expected, undesired effects of operations and remedial steps to be pursued if necessary, and a statement accepting full responsibility for the elimination of any objectionable interference (including that caused by receiver-induced or other types of modulation) to facilities in existence or authorized or to radio receivers in use prior to grant of this application. (See 47 C.F.R. Sections 73.315(b), 73.316(d) and 73.318.)	Exhibit No. E-3
Attach as an Exhibit a 7.5 minute series U.S. Geological Survey topographic quadrangle map that shows clearly, legibly, and accurately, the location of the proposed transmitting antenna. This map must comply with the requirements set forth in Instruction D for Section V. Further, the map must clearly and legibly display the original printed contour lines and data as well as latitude and longitude markings, and must bear a scale of distance in kilometers.	Exhibit No. E-4
Attach as an Exhibit Iname the source? a map which shows clearly, legibly, and accurately, and with the original printed latitude and longitude markings and a scale of distance in kilometers:	Exhibit No.
(a) the proposed transmitter location, and the radials along with profile graphs have been prepared;	
(b) the 1 mV/m predicted contour and, for noncommercial educational applicants applying on a commercial channel, the 3.16 mV/m contour; and	
(c) the legal boundaries of the principal community to be served.	
Specify area in square kilometers (1 sq. mi. = 2.59 sq. km.) and population (latest census) within the predicted 1 mV/m contour.	
Area 1.491.7 sq. km. Population 229,410	
Attach as an Exhibit a map (Sectional Aeronautical charts where obtainable) showing the present and pro- posed 1 mV/m (60 dbu) contours.	Exhibit No. N/A
Enter the following from Exhibit above: Gain Area sq. mi. Loss Area sq. mi.	
	plot(s) and tabulations of horzontally and vertically polarized radiated components in terms of relative field. Will the main studio be located within the 70 dBu or 3.16 mV/m contour? If No, attach as an Exhibit justification pursuant to 47 C.F.R. Section 73.1125. Are there: (a) within 80 meters of the proposed antenna, any proposed or authorized FM or TV transmitters, or any nonbroadcast (except citizens band or exector) radio stations; or (b) within the blankstring contour, any established commercial or government receiving stations, cable head-end facilities, or populated areas; or (c) within ten (10) kilometers of the proposed antenna, any proposed or authorized FM or TV transmitters which may produce receiver-induced intermodulation interference? If Yes, attach as an Exhibit a description of any expected, undesired effects of operations and remedial steps to be pursued if necessary, and a statement accepting full responsibility for the elimination of any objectionable interference (including that caused by receiver-induced or other types of modulation) to facilities in existence or authorized or to radio receivers in use prior to grant of this application. Issee 12 C.F.R. Sections 73.315(b), 72.315(b), and 73.318.1 Attach as an Exhibit a 7.5 minute series U.S. Geological Survey topographic quadrangle map that shows clearly, legibly, and accurately, the location of the proposed transmitting antenna. This map must comply with the requirements set forth in histruction D for Section V. Further, the map must clearly, and legibly display the original printed contour lines and data as well as latitude and longitude markings, and must bear a scale of distance in kilometers. Attach as an Exhibit (nase the serce) a map which shows clearly, legibly, and accurately, and with the original printed latitude and longitude markings and a scale of distance in kilometers: (a) the proposed transmitter location, and the radials along with profile graphs have been prepared; (b) the legal boundaries of the principal comm

so specify		which the applied-for facility will be auxiliary. See 47 C.F.R. Section 73.1675. (File with 47 C.F.R. Section 73.313).	
ource of terra	in data: Icheck enly ene bex beleel		
X Linearly into	erpolated 30-second database	7.5 minute topographic map	
(Source: _	NGDC		
	ofly summarized		
	Height of radiation center above	Predicted Distances	
Radial bearing	average elevation of radial from 3 to 16 km	to the 1 mV/m contour	
(degrees True)	(meters)	(kilometers)	
0	See Exhibit E-6		
45			
90			
135			
180			
225			
270			
315			
3.3			
	Allocation (See Subpart C of	n Studies 47 C.F.R. Part 731	
	toes seupert to er	re was and foots foot	

\$. A.S. 1

20. Is the proposed antenna location within 320 kilometers of the common border between the United States and Canada?	X Yes N
If Yes, attach as an Exhibit a showing of compliance with all provisions of the Working Agreement for Allocation of FM Broadcasting Stations on Channels 201-300 under The Canada-United States FM Agreement of 1947.	Exhibit No. $E-7$
21. If the proposed operation is for a channel in the range from channel 201 through 220 (88.1 through 91.9 MHz), or if this proposed operation is for a class D station in the range from Channel 221 through 300 (92.1 through 107.9 MHz), attach as an Exhibit a complete allocation study to establish the lack of prohibited overlap of contours with other U.S. stations. The allocation study should include the following:	Exhibit No. $E-7$
 (a) The normally protected interference-free and the interfering contours for the proposed operation along all azimuths. (b) Complete normally protected interference-free contours of all other proposals and existing stations to which objectionable interference would be caused. (c) Interfering contours over pertinent arcs of all other proposals and existing stations from which objectionable interference would be received. (d) Normally protected and interfering contours over pertinent arcs, of all other proposals and existing stations, which require study to show the absence of objectionable interference. (e) Plot of the transmitter location of each station or proposal requiring investigation, with identifying call letters, file numbers and operating or proposed facilities. (f) When necessary to show more detail, an additional allocation study will be attached utilizing a map with a larger scale to clearly show interference or absence thereof. (g) A scale of kilometers and properly labeled longitude and latitude lines, shown across the entire Exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified. (h) The name of the map(s) used in the Exhibit(s). 	
22. With regard to any stations separated by 53 or 54 channels (10.6 or 10.8 MHz) attach as an Exhibit information required in 1/ (separation requirements involving intermediate frequency (i.f.) interference).	Exhibit No. $E-7$
23.(a) is the proposed operation on Channel 218, 219, or 220?	Yes X No
(b) If the answer to (a) is yes, does the proposed operation satisfy the requirements of 47 C.F.R. Section 73.207?	Yes No
(c) If the answer to (b) is yes, attach as an Exhibit information required in 1/ regarding separation requirements with respect to stations on Channels 221, 222 and 223.	Exhibit No. N/A
(d) If the answer to (b) is no, attach as an Exhibit a statement describing the short spacing(s) and how it or they arose.	Exhibit No. N/A

1/ A showing that the proposed operation meets the minimum distance separation requirements. Include existing stations, proposed stations, and cities which appear in the Table of Allotments; the location and geographic coordinates of each antenna, proposed antenna or reference point, as appropriate; and distance to each from proposed antenna location.

SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 6)

(e)	If authorization pursuant to 47 C.F.R. Section 73.215 is requested, attach as an Exhibit a complete	0
	engineering study to establish the lack of prohibited overlap of contours involving affected station	s.
	The engineering study must include the following:	

Exhibit No. N/A

- (1) Protected and Interfering contours, in all directions (360), for the proposed operation.
- (2) Protected and interfering contours, over pertinent arcs, of all short-spaced assignments, applications and allotments, including a plot showing each transmitter location, with identifying call letters or file numbers, and indication of whether facility is operating or proposed. For vacant allotments, use the reference coordinates as transmitter location.
- (3) When necessary to show more detail, an additional allocation study utilizing a map with a larger scale to clearly show prohibited overlap will not occur.
- (4) A scale of kilometers and properly labeled longitude and latitude lines, shown across the entire exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified.
- (5) The official title(s) of the map(s) used in the exhibits(s).

24	Is the proposed station for a channel in the range from Channel 201 to 220 (88.1 through 91.9 MHz) and the proposed antenna location within the distance to an affected TV Channel 6 station(s) as defined in 47 CF.R. Section 73,525?	X Yes
	If Yes, attach as an Exhibit either a TV Channel 6 agreement letter dated and signed by both parties or	Exhibit N

a map and an engineering statement with calculations demonstrating compliance with 47 CF.R. Section 73.525 for each affected TV Channel 6 station.

EXMIDIE	NO.
E-	8

25% is the proposed station for a channel in the range from Channel 221 to 300 (92.1-107.9 MHz)?

 Yes	X.	•

If Yes, attach as an Exhibit information required in 1/. (Except for Class D (secondary) proposals.)

Exhibit	No.	
N/	Α	

26. Environmental Statement I See 47 C.F.R. Section 1,1301 et seq.1

Would a Commission grant of this application come within Section 1.1307 of the FCC Rules, such that it may have a significant environmental impact?

X	Yes		N
---	-----	--	---

-

9

If your answer Yes, submit as an Exhibit an Environmental Assessment required by Section 1.1311.

Exhibit No. E-9

If No, explain briefly why not.

CERTIFICATION

I certify that I have prepared this Section of this application on behalf of the applicant, and that after such preparation, I have examined the foregoing and found it to be accurate and true to the best of my knowledge and belief.

Name (Typed or Printed)	Relationship to Applicant le.g., Consulting Engineer?
James E. Price	Technical Consultant
Signature	Address (Include 219 tode) Sterling Communications, Inc. P.O. Box 80484 Chattanooga, TN 37411
October 12, 1992	Telephone No. (Include Area Lode) (615) 899-9393

FAA-1 Faith Christian Academy Berne, Indiana FAA Determination Of No Hazard

FEDERAL AVIATION ADMINISTRATION Great Lakes Region, AGL-530 2300 East Devon Avenue Dea Plaines, IL 60018

In Reply Refer To AERONAUTICAL STUDY NO. 90-AGL-1643-0E

ACKNOWLEDGMENT OF NOTICE OF PROPOSED CONSTRUCTION OR ALTERATION

PROPOMENT:

CONSTRUCTION LOCATION:

Bluffton, IN

Rev. Doug Rogers Faith Baptist Church P. O. Box 347 Berne, IN 46711

LATITUDE: 40-44-50. LONGITUDE: 085-10-21.

GI

AMSL

1226. ft

一門為情事一學與我們所以 中國教養人物

MEIGHT: 420. ft

CONSTRUCTION PROPOSED: Add Additional Sidemount Antenna to Existing 420' Antenna Tower.

FREQUENCY: 91.1; 461.55, 861.4625, 862.4625, 863.4625; 101.1000 MHz. EFFECTIVE RADIATED POWER (ERP): 25 Kilowatts; 300, 120, 120, 120 Watts; 3.0 Kilowatts.

The Federal Aviation Administration acknowledges receipt of notice dated 08/10/90, concerning the proposed construction or alteration described above.

A study has been conducted under the provisions of Part 77 of the Federal Aviation Regulations to determine whether the proposed construction would be an obstruction to air navigation, whether it should be marked and lighted to enhance safety in air navigation, and whether supplemental notice of start and completion of construction is required to permit timely charting and notification to airmen. The findings of that study are as follows:

The proposed construction is not identified as an obstruction under any standard of FAR, Part77, Subpart C and would not be a hazard to air navigation.

The structure should be obstruction marked and lighted per FAA Advisory Circular AC 70/7460-1, "Obstruction Marking and Lighting", Chapters 3, 4, 5 & 9

Supplemental notice is required at least 48 hours before the start of construction and within 5 days after construction reaches its greatest height (Use enclosed FAA Form 7460-2).

This determination expires on 05/10/91 unless:

- (a) extended, revised or terminated by the issuing office;
- (b) the construction is subject to the licensing authority of the Federal Communications Commission and an application for a construction permit is made to the FCC on or before the above expiration date. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or on the date the FCC denies the application.

NOTE: Any request for extension of the effective period of this determination must be postmarked or delivered to the issuing office at least 15 days prior to the expiration date.

If the structure is subject to the licensing authority of the FCC, a copy of this acknowledgement will be sent to that Agency.

>>> NOTICE IS REQUIRED ANYTIME THE PROJECT IS ABANDONED OR THE PROPOSAL IS MODIFIED <

Remarks:

The study included the proponent's letter dated 10-29-90 agreeing to attenuate transmitter spurious radiation in the frequency range 118 to 137 MHz at least 86 dB below the unmodulated carrier level.

Signed But as F. Powers

Manager, System Management Branch

Issued In: Des Plaines, Illinois

On: 11/07/90

Exhibit E-1
Faith Christian Academy
Berne, Indiana
Vertical Plan Sketch

Overall He: 374 meters A	MSL	NEW 21781FM ARC 351 meters AMSL			
	WNUY 107M AAT	H	351 mete	re AMSL	
All heighte in maters. Includee obstruction lighting					
			•		
		105		100	
					٠
128					
Grou	ınd Level				
NLat 40 VLng 85	-44-50 -10-21		Avg. Ter	rrain	
	2	46		251	
Grean sea	level>	(no	t to scale		

Exhibit E-2 Faith Christian Academy Berne, Indiana Proposed Use Of A Directional Antenna

SEPTEMBER 15, 1992

Electronics Research, Inc., has been asked to provide a custom fabricated directional antenna system that is specially designed to meet the F.C.C. requirements and the general needs of the proposed new non-commercial educational FM broadcast station at Berne, Indiana.

The antenna is the E.R.I. DA1005-1A-SP configuration. The horizontal component of the dual polarized system consists of two half-wavelength spaced horizontally polarized bays using two driver horizontal dipoles and 2 horizontal parasitic elements per bay. The vertical component of the system consists of one vertical radiating bay using one driver vertical dipole and 2 vertical parasitic elements. The vertical bay is interspursed between the horizontal bays. A power divider will be used near the bottom of the antenna to feed the system. The antenna will be tested on a tower, identical to the structure the station plans to use to support the proposed array. All tests will be performed on a frequency of 91.3 megahertz which is the center of the FM broadcast channel sought by the new station.

DESCRIPTION OF THE TEST PROCEDURE

Pattern measurements will be made on a fifty-acre antenna pattern range which is owned and operated by Electronics Research, Inc. The test antenna will consist of the complete dual polarized system with the associated horizontal and vertical parasitic elements. The elements and brackets that will be used in this test are electrically equivalent to those that will be supplied with the proposed antenna. Sections of 3 1/8 inch o.d. rigid coaxial line will be used to feed the test antenna, and section of 3 1/8 inch o.d. rigid outer conductor only will be attached above the test antenna. The lines will be properly grounded during all tests.

SEPTEMBER 15, 1992

DUAL POLARIZED DIRECTIONAL ANTENNA SYSTEM PROPOSED FOR BERNE, INDIANA

(Continued)

The proof-of-performance will be accomplished using a supporting structure of identical dimensions and configuration as the proposed tower, including all braces, ladders, conduits, coaxial lines and other appurtenances that are included in the actual aperture at which the proposed antenna will be installed. The tower will be erected vertically on a turntable mounted on a non-metallic building with the antenna centered vertically on the structure, making the center of radiation of the test approximately 25 feet above ground. The turntable is equipped with a motor drive and azimuth indicating mechanism. Resolution of this azimuth measuring system is one-tenth of a degree.

The antenna under test will be operating in the transmitting mode and fed from a Wavetek Model 3000 signal generator. The frequency of the signal source will be set at 89.7 mHz and will be constantly monitored by an Anritsu Model ML521B measuring receiver.

A broad-band horizontal and vertical dipole system, located approximately 628 feet from the test antenna, and mounted at the same height above terrain as the center of the antenna under test, will be used to receive the emitted test signals. the signals received by the dipole system will be fed to the test building by way of two buried Heliax cables to an Anritsu Model ML521B measuring receiver. This data will be interfaced to a Hewlett-Packard Model 9872C plotter by means of an Hewlett-Packard Model 86 computer system. Relative field strength will be plotted as a function of azimuth.

The measurements will be performed by rotating the test antenna in a counter-clockwise direction and plotting the received signal on polar co-ordinated graph paper in a clockwise direction. Both horizontal and vertical components will be recorded separately.

CONCLUSIONS

The horizontal component of the dual polarized system consists of two half-wavelength spaced horizontally polarized bays using two driven horizontal dipoles and 2 horizontal parasitic

SEPTEMBER 15, 1992

DUAL POLARIZED DIRECTIONAL ANTENNA SYSTEM PROPOSED FOR BERNE, INDIANA

(Continued)

elements per bay. The vertical component of the system consists of one vertical radiating bay using one driver vertical dipole and 2 vertical parasitic elements. The vertical bay is interspursed between the horizontal bays. A power divider will be used near the bottom of the antenna to feed the system. The power distribution and phase relationship will be fixed when the antenna is manufactured. Proper maintenance of the elements should be all that is required to maintain the pattern in adjustment.


The pattern shown on Figure #1 is based on measured data with a similar array orientated on a similar structure at a bearing of north 70 degrees east. Actual antenna orientation will be determined when the antenna is tested. Blue prints provided with the antenna will show the proper antenna orientation alignment. The antenna alignment procedure should be directed by a licensed surveyor as prescribed by the FCC.

Deicers are not supplied and are not available. The use of radomes is recommended if icing conditions will exist at the proposed site.

Figure #1 represents the maximum value of either the horizontal or vertical component at any azimuth. A calculated horizonta plane relative field pattern for the vertically polarized component is shown on Figure #2 attached. The power in the maximum will reach 6.3 kilowatts (7.99 dBk).

The R.M.S. of the vertically polarized horizontal plane component does not exceed the R.M.S. of the horizontally polarized plane component.

The envelope pattern obtained from the maximum individual horizontal or vertical components will not exceed a rate of change of 2 dB per any ten degree change in azimuth as measured in the horizontal plane.



1 unit = 0.02 Field

ERI CUSTOM DIRECTIONAL ANTENNA

Exhibit E-2 - Figure 1
Faith Christian Academy
Berne, Indiana
Horizontal Antenna Plot

¥1.




Exhibit E-2 Figure 3 Faith Christian Academy Berne, Indiana Antenna Relative Field Pattern

Maximum ERP is 6.30 kilowatts

Horizontal & Vertical Components

Asimuth	Field	dBk	kilowatts	Asimuth	Field	dBk	kilowatts
0	0.2500		0.3938	180	0.4200	0.46	1.1113
5	0.2800	-3.06	0.4939	185	0.3800	-0.41	0.9097
10	0.3100		0.6054	190	0.3400	-1.38	0.7283
15	0.3500		0.7717	195	0.3400	-1.38	0.7283
20	0.3900	-0.19	0.9582	200	0.3400	-1.38	0.7283
25	0.4400		1.2197	205	0.3700	-0.64	0.8625
30	0.4900	1.80	1.5126	210	0.4200	0.46	1.1113
35	0.5500	2.80	1.9058	215	0.4300	0.66	1.1649
40	0.6100	3.70	2.3442	220	0.4500		1.2758
45	0.6800	4.64	2.9131	225	0.4600	1.25	1.3331
50	0.7600	5.61	3.6389	230	0.4750		1.4214
55	0.8500	6.58	4.5517	235	0.4700	1.44	1.3917
60	0.9500	7.55	5.6858	240	0.4900	1.80	1.5126
65	0.9900	7.91	6.1746	245	0.4950		1.5437
70	1.0000	7.99	6.3000	250	0.5000	1.97	1.5750
75	1.0000	7.99	6.3000	255	0.4900	1.80	1.5126
80	1.0000	7.99	6.3000	260	0.4750		1.4214
85	1.0000	7.99	6.3000	265	0.4590		1.3273
90	1.0000	7.99	6.3000	270	0.4400		1.2197
95	1.0000	7.99	6.3000	275	0.4300		1.1649
100	1.0000	7.99	6.3000	280	0.4050		1.0334
105	1.0000	7.99	6.3000	285	0.3830		0.9241
110	1.0000	7.99	6.3000	290	0.3700		0.8625
115	1.0000	7.99	6.3000	295	0.3500		0.7717
120	1.0000	7.99	6.3000	300	0.3200		0.6451
125	1.0000	7.99	6.3000	305	0.2900		0.5298
130	1.0000		6.3000	310	0.2600		0.4259
135	1.0000	7.99	6.3000	315	0.2400		0.3629
140	0.9800	7.82	6.0505	320	0.2200		0.3049
145	0.8900		4.9902	325	0.2000		0.2520
150	0.8100	6.16	4.1334	330	0.1780		0.1996
155	0.7100	5.02	3.1758	335	0.1780		0.1996
160	0.6500	4.25	2.6618	340	0.1780		0.1996
165	0.5700		2.0469	345	0.1790		0.2019
170	0.5200	2.31	1.7035	350	0.2000		0.2520
175	0.4700	1.44	1.3917	355	0.2250	-4.96	0.3189

Exhibit E-3 Faith Christian Academy Berne, Indiana Stations Within 60 Meters Of Proposed Antenna

FM broadcast station WNUY holds a construction permit (BPH-881205ID) to locate its antenna on the existing tower structure proposed as the supporting structure in the instant application. WNUY is authorized to operate with an effective radiated power of 2.6 kilowatts with an antenna height 107 meters above average terrain.

The WNUY antenna (ARC 107 meters AAT) will not share a common aperture with the proposed new NCE-FM station (ARC 100 meters AAT). There will be a 2 meter physical separation between the antennae of WNUY and the proposed new NCE-FM antenna.

The applicant is aware of its responsibility to preserve the ambient suitability of the site for pre-existing facilities, and accepts such responsibility as a pre-condition of grant whether informally or as a specific condition of its Construction Permit. Should special means such as pass-band or stop-band filters and special mounting considerations be required to comply with applicable technical standards and the generally accepted principles of good engineering practice, the applicant stands ready to implement such measures as may be found necessary at construction in order to preserve any pre-existing services on the host structure.




Exhibit E-4 - Figure 1
Faith Christian Academy
Berne, Indiana
Site Map - Reduced

Exhibit E-4 - Figure 2 Faith Christian Academy Berne, Indiana Site Map - Full Scale

